



Editorial

Effective stakeholder analysis and engagement: a vital strategy for enhanced pharmacovigilance systems in sub-Saharan Africa

Babafunso A. Adenuga^{a,*} , Anastasia Aluvilu^a, Oluwaseun O. Olafusi^b , Dan Kibuule^c

^aNamibia Medicines Regulatory Council, Ministry of Health and Social Services, Private Bag 13366, Windhoek, Namibia

^bI-Care Health Training Institute, Windhoek, Namibia

^cDepartment of Pharmacy Practice and Policy, School of Pharmacy, Faculty of Health Sciences, University of Namibia, Windhoek, Namibia

ARTICLE INFO

Article history:

Received 2 April 2020

Received in revised form 8 April 2020

Accepted 9 April 2020

Keywords:

Stakeholder analysis

Engagement

Pharmacovigilance

Policy

Patients

© 2020 The Authors. Published by Iberoamerican Journal of Medicine. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

1. STAKEHOLDER ANALYSIS

Stakeholder analysis involves the efficient gathering and analyzing of qualitative information by engaging identified players in a specific sector, in this case, the healthcare sector of Namibia, to determine whose interests should be considered when developing a policy or program and/or in the post/pre-implementation phase of a policy or program [1]. This approach also assists in identifying gaps that might exist within the sector under examination.

Pharmacovigilance systems are critical for holistic health care delivery; this is not the case in most countries in sub-Saharan Africa. In Namibia, pharmacovigilance is coordinated by a national Therapeutic Information and Pharmacovigilance Centre (TIPC), with minimal and inconsistent engagement of key stakeholders [2]. This approach has limited impact on the pharmacovigilance

practice culture within public and private healthcare sectors, and among the populace at large.

This paper highlights the potential and defines roles of stakeholders critical to the strengthening of pharmacovigilance systems in Namibia. It also proposes a conceptual framework within which the different stakeholders can operate to the benefit of the central focus of pharmacovigilance, which is the patient.

National regulatory authorities (NRAs) are saddled with the responsibility of ensuring the safety, efficacy and quality of medicines that are registered and eventually found their ways into market place; this has a direct impact on the health and health status of the populace being served by such NRAs. The strength or capacity of NRAs to monitor medicine safety in sub-Saharan Africa depends on the quality of collaborative efforts that the entity can garner within the existing health system and among allied entities related to it [3]. Pharmacovigilance systems require a

* Corresponding author.

E-mail address: adenuga11@gmail.com

© 2020 The Authors. Published by Iberoamerican Journal of Medicine. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

<http://doi.org/10.5281/zenodo.3744977>

Table 1. Proposed priority stakeholders to be engaged with a justification for each group's inclusion in the process

Sector	Subsector	Actual/potential roles in strengthening pharmacovigilance systems
Public/Patients	<ul style="list-style-type: none"> • Patient interest/support groups 	They are the primary beneficiary of the pharmacovigilance policy
Government	<ul style="list-style-type: none"> • Directorate for Special Programs (Programme planners) • Central Medical Stores (CMS) 	They formulate policies and advise the government on which regimens or medicines are beneficial to the population.
Healthcare workers	<ul style="list-style-type: none"> • Clinics • Hospitals Private healthcare facilities 	They are charged with medicine availability at the patient level, prescribing and dispensing to patients. They serve as the first contact of the patients with the health system, education and advocacy starts at this level
Academics	<ul style="list-style-type: none"> • Faculties of Health Sciences 	Teaching of different cadres of healthcare students and provision of continuing profession education to healthcare professionals.
Regulatory authority	<ul style="list-style-type: none"> • Namibia Medicines Regulatory Council (NMRC) 	Medicine registration, information, inspection and pharmacovigilance. The organ implements policies of the government concerning pharmacovigilance.
Non-Governmental Organisations (NGOs)	<ul style="list-style-type: none"> • Global Health Supply Chain (GHSC) • Centers for Diseases Control and Prevention (CDC) • World Health Organization (WHO) 	They engage the patients in their communities on issues related to medication adherence and safety. They also assist in ensuring the implementation of government policies, provision of grants to government entities such as NMRC to fulfil their roles and enhancement of educational facilities within healthcare system.
Media	<ul style="list-style-type: none"> • Medical correspondent • Medical Editor 	They are the voice of the government for policy implementation. Education of the public, including patients occurs through the different communication media i.e. electronic, paper, television and radio.

multi-sectoral approach for them to achieve the goal of better patient management and the end result of a reduction in costs due to adverse events [4]. Such a multi-sectoral approach has been successful in tackling public health issues like HIV/AIDS pandemic [5]. It is important to understand the drivers of the pharmacovigilance system within a country and how to engage such entities in ensuring better health status of the population [6].

2. WHO IS STAKEHOLDER IN THE PHARMACOVIGILANCE SYSTEM?

Stakeholders in a process are actors (persons or organizations) with a vested interest in the policy being promoted [7]. These stakeholders, or “interested parties,” can be grouped into the following categories: international donors, national or local politicians (legislators, governors, local government chairpersons), public (Ministry of Health and Social Services [MoHSS] and local government staff, policymakers and technocrats, social security agencies, professional associations, including labour unions, healthcare providers, both commercial and private non-

profit organisations (non-governmental organizations, civil society, and users/consumers, individuals and beneficiaries). Table 1 depicts the possible stakeholders within the health system and their roles in enhancing pharmacovigilance systems in Namibia.

In a bid to strengthen the pharmacovigilance systems in Namibia, we believe it is necessary to analyse and conceptualise how these stakeholders can be engaged. This will help policymakers and healthcare managers at different levels of the health system, work out better ways of optimising pharmacovigilance and adverse drug reactions (ADR) reporting by healthcare workers and patients. This analysis can assist MoHSS to detect and act to prevent potential shortcomings about and/or opposition to a pharmacovigilance policy or related programs in focus.

3. PROPOSED STRATEGY FOR ANALYSIS OF STAKEHOLDER INVOLVMENT IN PV

Qualitative data will be generated during stakeholder analysis, this will assist in identifying drivers of pharmacovigilance within and outside the healthcare

sector. The data will be collected through face to face interviews which will be arranged with the different identified individuals within the various stakeholder groups over a period of time. Semi-structured questions will be developed, bordering around strengthening, awareness and analysis of the Strength, Weakness, Opportunity and Threats (SWOT) to the current pharmacovigilance systems as perceived by the stakeholder group; however, interviewees will be allowed to cover more areas of the pharmacovigilance system that is not included in the developed questions.

A recording machine or paper-based record will be used to gather/collect data during the interview sessions. The data collected will be transcribed and common themes will be identified to allow for data synthesis, interpretations and analysis.

Respondents will be contacted by phone and through emails for their consent to be included in the stakeholder engagement study and also, to schedule meeting time suitable to them. Confidentiality of the respondents will be maintained and no marker identifiable to the respondents will be retained or collected during the interview period and after the interview.

3.1. MODEL QUESTIONS

- How do you perceive the current pharmacovigilance systems in Namibia can be improved?
- Who should be taken on board to ensure better or strengthened pharmacovigilance systems in Namibia?
- Where do you think pharmacovigilance should be practiced?
- What should be the content of a pharmacovigilance policy, bearing in mind Namibian Patient Charter?

4. ENGAGING THE STAKEHOLDERS

Apart from the key informant interviews, focus group meetings will be held in various regions of Namibia, with substantial patient representation, as well as healthcare practitioners from both public and private healthcare settings.

It is hoped that the results of this study will reveal salient issues pertaining to pharmacovigilance in Namibia. Through the creation of awareness, greater involvement of policymakers at different levels of governance. Also, it can shed more insight into how different stakeholders thought their impact can be felt.

5. REFERENCES

1. Missonier S, Loufrani-Fedida S. Stakeholder analysis and engagement in projects: From stakeholder relational perspective to stakeholder relational ontology. *Int J Proj Manag.* 2014;32(7):1108-22. doi: 10.1016/j.ijproman.2014.02.010.
2. Adenuga BA, Kibuule D, Bamitale KDS, Rennie TW. Effective integration of pharmacovigilance systems at public health facilities in resource-limited settings: A qualitative study. *Res Soc Adm Pharm.* 2019. doi: 10.1016/j.sapharm.2019.11.010.
3. Adenuga BA, Kibuule D, Rennie TW. Optimizing spontaneous adverse drug reaction reporting in public healthcare setting in Namibia. *Basic Clin Pharmacol Toxicol.* 2020;126(3):247-53. doi: 10.1111/bcpt.13325.
4. Inácio P, Cavaco A, Allan E, Airaksinen M. Key pharmacovigilance stakeholders' experiences of direct patient reporting of adverse drug reactions and their prospects of future development in the European Union. *Public Health.* 2018;155:119-28. doi: 10.1016/j.puhe.2017.11.023.
5. Pawinski RA, Laloo UG. Multisectoral responses to HIV/AIDS: Applying research to policy and practice. *Am J Public Health.* 2006;96(7):1189-91. doi: 10.2105/AJPH.2004.060897.
6. Santoro A, Genov G, Spooner A, Raine J, Arlett P. Promoting and Protecting Public Health: How the European Union Pharmacovigilance System Works. *Drug Saf.* 2017;40(10):855-69. doi: 10.1007/s40264-017-0572-8.
7. Varvasovszky Z, Brugha R. A stakeholder analysis Guidelines. *Health Policy Plan.* 2000;15(3):338-45. doi:10.1093/heapol/15.3.338.